

# **EU TYPE-EXAMINATION CERTIFICATE** Regulation (EU) 2016/425, MODULE B 0598/PPE/24/4599 Issue 1

Product

Safety Footwear

Model

Low shoe: UR LEOPARD-P, UR LION-P, UR PANTHER-P.

Ankle boot: UR CARACAL-P

Trademark

Certificate Holder / Manufacturer

Urgan Ayakkabicilik San. VE TIC.A.S.

Akçaburgaz Mah. 137. Sok.No:9 34520 Esenyurt, Istanbul, Türkiye

Product complies with the applicable essential health and safety requirements of

Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) Other Information EN ISO 20345:2022 (Personal protective equipment - Safety Footwear), Class I footwear, with a performance category of S3S, with additional applications: SR, FO &

Validity

This certificate is valid until 2029-09-24

Date of issue

2024-09-24

SGS Fimko Ltd

Signature

SGS Fimko Ltd is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU) Page 1 of 2 This document is issued by the Company under its General Conditions

of Service accessible at http://www.sgs.com/ferms\_and\_condition Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)



Page 2 of 2 to Certificate:

0598/PPE/24/4599

Issue 1

page 2

- Additional information a) UR (logo) UR\_LEOPARD-P, low shoe: design A, comprising of black microfiber leather upper, tongue and collar, F522 fiberglass toecap, composite penetration resistance insert/insole, black polyester air mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, polyester and PU foam insock, PU/PU sole, black/orange polyester lace up closure, sewn with black nylon thread, available in size range: EUR 35-48:
  - b) UR (logo) UR LION-P, low shoe: design A, comprising of black microfiber leather and dark grey Putek textile upper, dark grey Putek textile tongue and collar, F522 fiberglass toecap, composite penetration resistance insert/insole, grey polyester air mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, polyester and PU foam insock, PU/PU sole, black/grey polyester lace up closure, sewn with black nylon thread, available in size range: EUR 35-48;
  - c) UR (logo) UR\_PANTHER-P, low shoe: design A, comprising of black microfiber leather upper and tongue, F522 fiberglass toecap, composite penetration resistance insert/insole, black polyester mesh collar, black polyester air mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, polyester and PU foam insock, PU/PU sole, black/orange polyester lace up closure, sewn with black nylon thread, available in size range: EUR 35-48;
  - d) UR (logo) UR\_CARACAL-P, ankle boot: design B, comprising of black microfiber leather upper and tongue, F522 fiberglass toecap, composite penetration resistance insert/insole, black polyester mesh collar, black polyester air mesh vamp lining, quarter lining, tongue lining and collar lining, black polyester microfiber counter lining, polyester and PU foam insock, PU/PU sole, black/blue polyester lace up closure, sewn with black nylon thread, available in size range: EUR 35-48.

Contract No: GSL-CERT240800285-01 / GB-202408006590.

Technical File: S3S TF UR LEOPARD-P & UR LION-P & UR PANTHER-P & UR CARACAL-P, Version 1, Dated: 2024/09/20.

#### **Detailed Characteristics:**

Classification: Class I:

Closure System: Lace Up;

Construction: Injection (Double Density);

Last Reference: APG 08-2265: Mould Reference: UR01-2024: Size(s) Range: EUR 35-48.



Page 2 of 2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms\_and\_congition Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland t. +358 9 696 361 www.sgs.fi

### **EU DECLARATION OF CONFORMITY**

Manufacturer:

Urgan Ayakkabicilik San. VE TIC.A.S.

Address:

Akçaburgaz Mah. 137. Sok.No:9 34520 Esenyurt, Istanbul, TURKEY

#### declares that the new PPE described hereafter

Style Number:	UR_LEOPARD-P&UR_LION-P & UR_PANTHER-P & UR_CARACAL-P
Size(s) range:	EUR35-48
Protection category and additional application:	S3S SR FO LG

are in conformity with the REGULATION (EU) 2016/425 and with harmonized standard EN ISO 20345:2022 for Safety Footwear

performed the EU type-examination (Module B) and issued the CE certificate NO. 0598/PPE/24\_4599 Issue 1

Notified Body information

Notified body information
Module B
SGS Fimko Ltd
Takomotie 8, FI-00380 Helsinki, Finland
Notified Body No. 0598

## Signed for on behalf of Company

Name: Bülent URGAN

Position: Chief Executive Officer

Date: 24.09.2024

Signature: